



## Belki świetłówkowe



## POKER CN



Belka montażowa przystosowana do montażu nastropowego. Dostępne akcesoria umożliwiają szerokie zastosowanie.




Materiały: korpus z blachy stalowej malowane proszkowo.

### Warianty

W					
1x18W	T8 /G13/	1,01	<input type="checkbox"/>		<b>PX1803101</b>
1x30W	T8 /G13/	1,27	<input type="checkbox"/>		<b>PX1803108</b>
1x36W	T8 /G13/	1,45	<input type="checkbox"/>		<b>PX1803115</b>
1x58W	T8 /G13/	2,00	<input type="checkbox"/>		<b>PX1803122</b>
2x18W	T8 /G13/	1,10	<input type="checkbox"/>		<b>PX1803129</b>
2x30W	T8 /G13/	1,88	<input type="checkbox"/>		<b>PX1803136</b>
2x36W	T8 /G13/	2,07	<input type="checkbox"/>		<b>PX1803143</b>
2x58W	T8 /G13/	2,84	<input type="checkbox"/>		<b>PX1803150</b>
1x18W	T8 /G13/	1,01	<input type="checkbox"/>	EVG	<b>PX1803157</b>
1x30W	T8 /G13/	1,27	<input type="checkbox"/>	EVG	<b>PX1803164</b>
1x36W	T8 /G13/	1,45	<input type="checkbox"/>	EVG	<b>PX1803171</b>
1x58W	T8 /G13/	2,00	<input type="checkbox"/>	EVG	<b>PX1803178</b>
2x18W	T8 /G13/	1,10	<input type="checkbox"/>	EVG	<b>PX1803185</b>
2x30W	T8 /G13/	1,88	<input type="checkbox"/>	EVG	<b>PX1803192</b>
2x36W	T8 /G13/	2,07	<input type="checkbox"/>	EVG	<b>PX1803199</b>
2x58W	T8 /G13/	2,84	<input type="checkbox"/>	EVG	<b>PX1803206</b>

	L	A
18W	618	486
30W	923	791
36W	1228	1096
58W	1528	1396

## Akcesoria



### Klosz 1x...

0,28	<input type="checkbox"/>	<input type="checkbox"/>	L=618mm (18W)	<b>PX186118</b>
0,39	<input type="checkbox"/>	<input type="checkbox"/>	L=923mm (30W)	<b>PX186130</b>
0,52	<input type="checkbox"/>	<input type="checkbox"/>	L=1228mm (36W)	<b>PX186136</b>
0,69	<input type="checkbox"/>	<input type="checkbox"/>	L=1528mm (58W)	<b>PX186158</b>

### Klosz 2x...

0,47	<input type="checkbox"/>	<input type="checkbox"/>	L=618mm (18W)	<b>PX186218</b>
0,68	<input type="checkbox"/>	<input type="checkbox"/>	L=923mm (30W)	<b>PX186230</b>
0,89	<input type="checkbox"/>	<input type="checkbox"/>	L=1228mm (36W)	<b>PX186236</b>
1,08	<input type="checkbox"/>	<input type="checkbox"/>	L=1528mm (58W)	<b>PX186258</b>

### Kratka ochronna 1x...

0,59	<input type="checkbox"/>	<input type="checkbox"/>	L=628mm (18W)	<b>PX188118</b>
1,09	<input type="checkbox"/>	<input type="checkbox"/>	L=1238mm (36W)	<b>PX188136</b>
1,32	<input type="checkbox"/>	<input type="checkbox"/>	L=1538mm (58W)	<b>PX188158</b>

### Kratka ochronna 2x...

0,78	<input type="checkbox"/>	<input type="checkbox"/>	L=628mm (18W)	<b>PX188218</b>
1,34	<input type="checkbox"/>	<input type="checkbox"/>	L=1238mm (36W)	<b>PX188236</b>
1,62	<input type="checkbox"/>	<input type="checkbox"/>	L=1538mm (58W)	<b>PX188158</b>

### Odbłyśnik 1x...


0,35	<input type="checkbox"/>	<input type="checkbox"/>	L=616mm (18W)	<b>PX1867101</b>
0,54	<input type="checkbox"/>	<input type="checkbox"/>	L=921mm (30W)	<b>PX1867108</b>
0,72	<input type="checkbox"/>	<input type="checkbox"/>	L=1226mm (36W)	<b>PX1867115</b>
0,90	<input type="checkbox"/>	<input type="checkbox"/>	L=1526mm (58W)	<b>PX1867122</b>



### Odbłyśnik 2x...



0,54	<input type="checkbox"/>	L=616mm (18W)	<b>PX1867129</b>
0,80	<input type="checkbox"/>	L=921mm (30W)	<b>PX1867136</b>
1,08	<input type="checkbox"/>	L=1226mm (36W)	<b>PX1867143</b>
1,32	<input type="checkbox"/>	L=1526mm (58W)	<b>PX1867150</b>



### Odbłyśnik aluminiowy 1x...



0,14	<input type="checkbox"/>	<b>PX18711812</b>
0,27	<input type="checkbox"/>	<b>PX18713612</b>
0,34	<input type="checkbox"/>	<b>PX18715812</b>



### Odbłyśnik aluminiowy 2x...



0,21	<input type="checkbox"/>	<b>PX18721812</b>
0,40	<input type="checkbox"/>	<b>PX18723612</b>
0,51	<input type="checkbox"/>	<b>PX18725812</b>



### Pierścienie uszczelniające 1x...



0,02	<input type="checkbox"/>	<b>PX189101</b>
------	--------------------------	-----------------



### Pierścienie uszczelniające 2x...



0,04	<input type="checkbox"/>	<b>PX189201</b>
------	--------------------------	-----------------