


Szynoprzewody



SZYNOPRZEWÓD 3-FAZOWY

dostropowy



Warianty

1,30		IV7512-10-31	1 m
2,50		IV7512-20-31	2 m
3,80		IV7512-30-31	3 m
5,10		IV7512-40-31	4 m
1,30		IV7512-10-30	1 m
2,50		IV7512-20-30	2 m
3,80		IV7512-30-30	3 m
5,10		IV7512-40-30	4 m
1,30		IV7512-10-42	1 m
2,50		IV7512-20-42	2 m
3,80		IV7512-30-42	3 m
5,10		IV7512-40-42	4 m

Akcesoria



Adaptor elektryczny (6A)

0,07		IV7601-00-W31
0,07		IV7601-00-W30
0,07		IV7601-00-W20



Adaptor mechaniczny

W celu zamontowania oprawy NICE do szynoprzewodu należy zamówić komplet adaptorów (elektryczny i mechaniczny).

0,08		IV7625-00-31
0,08		IV7625-00-30



Końcówka zasilająca prawa

0,07		IV7662-10-W31
0,07		IV7662-10-W30
0,07		IV7662-10-W20



Końcówka zasilająca lewa



0,07



IV7662-11-W31

0,07




IV7662-11-W30

0,047



IV7662-11-W20



Zasilanie centralne



0,15



IV7663-10-W31

0,15



IV7663-10-W30

0,15



IV7663-10-W20



Łącznik liniowy elektryczny



0,04



IV7604-10-W31

0,04



IV7604-10-W30



Łącznik liniowy mechaniczny



0,05



IV7654-10-W31

0,05



IV7654-10-W30



Końcówka



0,01



IV7659-00-W31

0,01




IV7659-00-W30

0,01



IV7659-00-W20



Uchwyt zwieszaka



0,02

IV7664-00-48



Mocowanie sufitowe



0,02

IV7607-00-00



Zaślepka szyny 1m



0,07



IV7624-00-31

0,07



IV7624-00-30